

FACTS *for* FAMILIES

No. 18

December 2011

Bedwetting

Many parents are concerned when their child continues to wet their bed at night past the age of 3 years old. Since most children begin to stay dry through the night around three years of age their concerns are valid. However, child and adolescent psychiatrists stress that enuresis is a fairly common symptom and not a disease. Occasional accidents may occur, often when the child is ill. Parents need to be understanding particularly if the child has been able to have a majority of dry nights. Some facts parents should know about bedwetting:

- Approximately 15 percent of children wet the bed after the age of three
- Many more boys than girls wet their beds
- Bedwetting runs in families
- Usually bedwetting stops by puberty
- Most bedwetters do not have emotional problems

Persistent bedwetting beyond the age of three or four rarely signals a kidney or bladder problem. Bedwetting may sometimes be related to a sleep disorder. In most cases, it is due to the development of the child's bladder control being slower than normal. Bedwetting may also be the result of the child's tensions and emotions that require attention.

There are a variety of emotional reasons for bedwetting. For example, when a young child begins bedwetting after several months or years of dryness during the night (secondary enuresis), this may reflect new fears or insecurities. Often, this may follow changes or events which make the child feel insecure such as moving to a new home, parents' divorce, losing a family member or loved one, or the arrival of a new baby or child in the home.

Parents should remember that children rarely wet on purpose, and usually feel ashamed about the incident. Rather than make the child feel ashamed, parents need to encourage the child and express confidence that he or she will soon be able to stay dry at night. Parents may help children who wet the bed by:

- Limiting liquids before bedtime
- Encouraging the child to go to the bathroom before bedtime
- Praising the child on dry mornings
- Avoiding punishments
- Waking the child during the night to empty their bladder

Bedwetting, "Facts for Families," No. 18 (12/11)

Treatment for bedwetting in children usually includes behavioral conditioning devices (pad/buzzer) and/or medications if behavioral interventions are unsuccessful. In rare instances, the problem of bedwetting cannot be resolved by the parents, the family physician or the pediatrician. Sometimes the child may also show symptoms of emotional problems--such as persistent sadness or irritability, or a change in eating or sleeping habits. In these cases, parents may want to talk with a child and adolescent psychiatrist, who will evaluate physical and emotional problems that may be causing the bedwetting, and will work with the child and parents to resolve these problems. Early supportive intervention will help minimize the potential emotional impact of persistent bedwetting on the child.

For additional information see Facts for Families:

#48 Problems with Soiling and Bowel Control
#34 Children's Sleep Problems

See also: *Your Child* (1998 Harper Collins) / *Your Adolescent* (1999 Harper Collins)

If you find *Facts for Families*® helpful and would like to make good mental health a reality, consider donating to the **Campaign for America's Kids**. Your support will help us continue to produce and distribute Facts for Families, as well as other vital mental health information, free of charge.

You may also mail in your contribution. Please make checks payable to the AACAP and send to *Campaign for America's Kids*, P.O. Box 96106, Washington, DC 20090.

The American Academy of Child and Adolescent Psychiatry (AACAP) represents over 8,500 child and adolescent psychiatrists who are physicians with at least five years of additional training beyond medical school in general (adult) and child and adolescent psychiatry.

Facts for Families© information sheets are developed, owned and distributed by AACAP. Hard copies of *Facts* sheets may be reproduced for personal or educational use without written permission, but cannot be included in material presented for sale or profit. All *Facts* can be viewed and printed from the AACAP website (www.aacap.org). Facts sheets may not be reproduced, duplicated or posted on any other website without written consent from AACAP. Organizations are permitted to create links to AACAP's website and specific *Facts* sheets. For all questions please contact the AACAP Communications & Marketing Coordinator, ext. 154.

If you need immediate assistance, please dial 911.

Copyright © 2012 by the American Academy of Child and Adolescent Psychiatry.