

FACTS *for* FAMILIES

No. 8

March 2011

Children and Grief

When a family member dies, children react differently from adults. Preschool children usually see death as temporary and reversible, a belief reinforced by cartoon characters who die and come to life again. Children between five and nine begin to think more like adults about death, yet they still believe it will never happen to them or anyone they know.

Adding to a child's shock and confusion at the death of a brother, sister, or parent is the unavailability of other family members, who may be so shaken by grief that they are not able to cope with the normal responsibility of childcare.

Parents should be aware of normal childhood responses to a death in the family, as well as signs when a child is having difficulty coping with grief. It is normal during the weeks following the death for some children to feel immediate grief or persist in the belief that the family member is still alive. However, long-term denial of the death or avoidance of grief can be emotionally unhealthy and can later lead to more severe problems.

A child who is frightened about attending a funeral should not be forced to go; however, honoring or remembering the person in some way, such as lighting a candle, saying a prayer, making a scrapbook, reviewing photographs, or telling a story may be helpful. Children should be allowed to express feelings about their loss and grief in their own way.

Once children accept the death, they are likely to display their feelings of sadness on and off over a long period of time, and often at unexpected moments. The surviving relatives should spend as much time as possible with the child, making it clear that the child has permission to show his or her feelings openly or freely.

The person who has died was essential to the stability of the child's world, and anger is a natural reaction. The anger may be revealed in boisterous play, nightmares, irritability, or a variety of other behaviors. Often the child will show anger towards the surviving family members.

After a parent dies, many children will act younger than they are. The child may temporarily become more infantile; demand food, attention and cuddling; and talk baby talk. Younger children frequently believe they are the cause of what happens around them. A young child may believe a parent, grandparent, brother, or sister died because he or she had once wished the person dead when they were angry. The child feels guilty or blames him or herself because the wish came true.

Children who are having serious problems with grief and loss may show one or more of these signs:

- an extended period of depression in which the child loses interest in daily activities and events
- inability to sleep, loss of appetite, prolonged fear of being alone
- acting much younger for an extended period
- excessively imitating the dead person
- repeated statements of wanting to join the dead person
- withdrawal from friends, or
- sharp drop in school performance or refusal to attend school

If these signs persist, professional help may be needed. A child and adolescent psychiatrist or other qualified mental health professional can help the child accept the death and assist the others in helping the child through the mourning process.

For more information, see Facts for Families:

[#4 The Depressed Child](#)

[#7 Children Who Won't Go to School](#)

[#34 Children's Sleep Problems](#)

[#36 Helping Children After a Disaster](#)

[#78 When a Pet Dies](#)

If you find *Facts for Families*® helpful and would like to make good mental health a reality, consider donating to the **Campaign for America's Kids**. Your support will help us continue to produce and distribute Facts for Families, as well as other vital mental health information, free of charge.

You may also mail in your contribution. Please make checks payable to the AACAP and send to *Campaign for America's Kids*, P.O. Box 96106, Washington, DC 20090.

The American Academy of Child and Adolescent Psychiatry (AACAP) represents over 8,500 child and adolescent psychiatrists who are physicians with at least five years of additional training beyond medical school in general (adult) and child and adolescent psychiatry.

Facts for Families© information sheets are developed, owned and distributed by AACAP. Hard copies of *Facts* sheets may be reproduced for personal or educational use without written permission, but cannot be included in material presented for sale or profit. All *Facts* can be viewed and printed from the AACAP website (www.aacap.org). *Facts* sheets may not be reproduced, duplicated or posted on any other website without written consent from AACAP. Organizations are permitted to create links to AACAP's website and specific *Facts* sheets. For all questions please contact the AACAP Communications & Marketing Coordinator, ext. 154.

If you need immediate assistance, please dial 911.

Copyright © 2012 by the American Academy of Child and Adolescent Psychiatry.